

CATALOGUE
JUNE 2023



**MACHINERY &
EQUIPMENT
MANUFACTURERS**

www.portequip.co.uk



Calf creep	4-5
Mobile calf creep feeders	6
Static bull beef feeders	7
Locking head yoke trailers	8
Cattle feed trailers	9
Feed bunkers	10
Cattle trough	11
PEATV Calf catcher	12
Mobile cattle handler	13
Lamb creep feeders	14-15
Hogg hoppers	16-17
Sheep feed trailers	18
Snacker feeder, ATV trailers	19
Road legal sheep dipper	20
Mobile sheep dipper	21-22
Bale trailer with bale safe system	23
Standard bale trailer	24
Heavy duty bale trailer	25
Cattle container	26
Bespoke	27
Accessories	28-29

Sales and transport contacts

Niall Johnstone - 07775 000483

William Johnstone - 07712 595362

T +44 (0) 1671 402775 • F +44 (0) 1671 403791
M 07712 595362 / 07775 000483 • E sales@portequip.co.uk



CCF001/2 STD
Optional Extra - Bird Kit

Standard calf creep feeder. Fixed vertical bars. Adjustable height creep bar. Full width hopper easily filled with loader bucket or bags. Forklift bar as standard. 400kg capacity



CCF001/2 ADJ
Optional Extra - Bird Kit

Adjustable vertical bar calf creep feeder, easily adjusted from 5 space to 4 allowing older animals to gain access. All the same features as the standard creep feeder, fork lift bar as standard.



Galvanised Calf Creep

Galvanised calf creep is available with fixed and adjustable vertical bars. Both have adjustable height bars and a 400kg capacity.



CCF012 Mobile Calf Creep **Optional Extra - Bird Kit**

1250kg. 8ft mobile calf creep feeder. Wheels located at rear of machine to allow full access to feeding trough. Creep gates removable to allow ad-lib feeding. Gates all hang on to side of machine for transport. Available with or without gates.



CCF015 **Optional Extra - Bird Kit**

1000kg/1200kg. Single sided jumbo calf creep feeders to suit larger herds with need for more capacity. Easily filled with loader bucket, has skid plate on the lid to flow feed into hopper. Creep gates removable to allow ad-lib feeding, 8ft and 10ft models available.



CCF018 **Optional Extra - Bird Kit**

1250kg/1500kg. Double sided calf creep bulk feeder, for larger groups of animals, like the single sided feeder creep gates can be removed to allow ad-lib feeding, also has height adjustable legs. 8ft and 10ft models available.



CCF0012 Mobile Bull Beef Feeder **Optional Extra - Bird Kit**

Feeder shown without creep feed gates, ideal machine to ad-lib feed strong store and fattening cattle.



CCF012/2-HYD Mobile Calf Creep Feeder with Hydraulic Gates

This mobile calf creep has been designed with simplicity in mind. It is built to save you time and effort on farm during set up. The set up only takes around 5 minutes and is totally effortless.

Trailed feeder fitted with hydraulic gates for easy set up.
Simple pull out system to bring gates into position.
Hydraulic ram sets the gates onto the ground
Hopper capacity of 1500kg
Easy removed front gate for ad-lib feeding options



CF051 16ft Mobile Optional Bird Kit

3000kg Double sided bull beef hopper.
2.5m wide x 5m long.

Ideal hopper for large groups of
fattening cattle.

Blow pipes can be fitted.



CF048 Single Sided

500kg single sided bull beef feeder. Complete with lid and rain canopy. Adjustable height legs.



CF049/8 Single Sided CF049/10 Single Sided Optional Extra - Bird Kit

1000kg/1100kg bull beef feeder. Complete with lid and rain canopy. Adjustable height legs.



CF051/8 Double Sided CF051/10 Double Sided Optional Extra - Bird Kit

1250kg/1500kg double sided bull beef feeder. Complete with lid and rain canopy. Adjustable height legs.



Locking Head Yokes Cattle Feed Trailer

With Jourdain Locking Head Yokes for easy Tagging and jugging.

Standard Spec:

20' Cattle feed trailer body length

Total of 28 locking head yoke spaces

(3 on front, 3 on rear, 11 on each side)

Retractable drawbar

Timber floor

11.5/80 x 15.3 wheels



Cattle Feed Trailer

Cattle Feed Trailers
Available in selected sizes.
Standard spec comes with:
Timber Floor
Retractable drawbar
11.5/80 x 15.3 wheels*
*12.5/80 x 15.3 on the 25 x 6 cattle feed trailer
Solid drawbar available on request,
Steel floor available on request

FT143	14x6	26 space
FT166	16x6	30 space
FT206	20x6	34 space
FT251	25x6	40 space



FT161T 16x6 22 Space
FT201T 20x6 26 Space

Tombstone feed trailers ideal for horned cows and bulls - stops head getting trapped.



Bunker Feeder 3 Metre

Front feed Bunker feeder. Ideal for setting in doorways or on the end of building. Silage, loaded at rear, slides down the slope as it is fed, pallet fork slides for easy movement. Height adjustable legs.

Standard sizes 3000mm (10ft) and 4570mm (15ft). Custom built sizes from 1800mm (4ft) to 6000mm (20ft). Tombstone front bars available upon request



Bunker Feeder 4.5 Metre



CF052 Double Cattle Trough **CF052 With Wheels**

Double cattle trough for feeding in the field or inside. Heavy duty, all welded construction. One piece folded trough for strength. Fully galvanized after manufacture. As shown with wheel option.



PEATV Calf Catcher

Designed to be used behind ATV bike to tag and jag calves in the field. Offset from the ATV, the operator drives up to animal with the guillotine gate open and drops gate over the calf.

Operator then enters the crate and can work safely in the pen with the mother cow able to see through the open bars. Adjustable draw bar for inline towing from field to field.

Guillotine gate easily operated from ATV seat.

Easy exit gate for the animal to exit after the operator has tagged and dosed the animal.

Crate complete with tool boxes to store tags, record books and medical equipment. Safe work area.





Galvanised Mobile Handler

5 metre mobile cattle handler complete. Fully retractable draw bar, auto head yoke.

4 access doors on either side open to floor level.

Mobile race in the working position can be set up in less than 5 minutes. Tractor hydraulic coupling to raise and lower.

Supplied with hydraulic hand pump for setting up.





SFS021 Single Lamb Creep

200kg single sided lamb creep feeder complete with 4 wheels. Ladder type adjuster on lamb creep entry. All welded construction & lift hooks.



SFS019 Double Lamb Creep Feeder SFS019 Fork Lift Bar

400kg hopper, built in 2 halves to bolt together. The twin hopper can then also be used as single sided feeders. Ladder type adjuster on creep entry gates All welded construction for long life. Standard with 4 Wheels.



SFS018/2MLC Mobile Lamb Creep Feeder

600kg mobile lamb creep feeder towed by ATV. Creep gates fold down to form lamb creep.



Mobile lamb creep feeder with creep gates in transport position.



SFS018/2MLC Mobile Lamb Creep Feeder

1250kg feeder complete with fold up creep gates. Internal adjustable slides to adjust feed flow.

Heavy duty ring hitch and screw jack for levelling machine in field.



Model shown with creep gates in raised position,
on 23-10/50x12 flotation wheels.



SFS017 250kg Hogg Hopper

Static hogg hoppers from 250kg to 1250kg. All have internal slides to adjust feed flow. Canopy to keep rain out. Lamb creep gates (set can be fitted to all models). Adjustable height legs for the small lambs when used as lamb creep feeder. All welded construction made from heavy gauge steel for longer life.



SFSOLCG Lamb Creep Gates (set) 8' / 10'

To suit all static and mobile feeders.
Static set shown.



SFS018-8' 600kg Hogg Hopper SFS018-10' 750kg

Both with Internal adjustable sliders to control flow rate of feed. Adjustable leg height for easy feeding.



SFS018/2 8' 1250kg Hogg Hopper

Adjustable leg heights for easy feeding.



SFS017/2 Mobile Hogg Hopper

250kg capacity, internal adjustable slides to adjust feed rate. 50mm ball type fitting, screw jack fitted, 2310/50x12 flotation wheels.

Ideal to tow behind ATV bike to get to locations quicker and easier and allowing easy movement when checking on stock.



SFS018/1 Mobile Hogg Hopper

600kg Capacity internal adjustable slides for feed flow rate. 50 mm ball hitch to tow behind vehicle.

Not recommended to be towed behind ATV when full.



SFS018/2 Mobile Hogg Hopper

1250kg hopper fitted with agricultural ring hitch. This feeder is better suited to being towed by tractor or pick up for larger feeding groups. Fitted with screw jack for easy hitching to vehicle used.



SFS029 Mobile Hogg Hopper

2500kg capacity hogg hopper for larger groups of fattening lambs with 32ft total feeding space and large capacity hopper.

Internal adjustable slides to adjust feed flow rate as standard on the whole hogg feeder range.

20ft model available with capacity of 4000kg.

Sheep feed trailers in various sizes from 8ft - 20ft

Narrow trailers suited to pit silage or meal, wider trailers can take large round and square bales, fitted with 23/10/50x12 Flotation tyres.

S801	8' x 4'6"	26 Space
S1601/1	16' x 4'6"	48 Space
S201/1	20' x 4'6"	56 Space (20ft trailer fitted with 10.5/75 x 15.3)



S801 Horizontal Bar



S201 Horizontal Bar for horned sheep



S201 4'6" x 20' Sheep Feed Trailer Diagonal Bars



SNACK Snacker Feeder

320kg capacity snacker feeder. Plastic hopper, easy snap shut lid for fast turn around. No muck can enter the hopper allowing free running feed. Fits under most common feed bins being 47" tall.



Fully galvanized frame with wide galvanized mud guards for extra long life.

Lid flips over to allow easy filling under storage bins. Heavy duty swivel hitch - less strain on ATV. Easily adjusted barrel type feed dispenser with 3 settings giving 0.75kg to 2.5kg drops. Flotation wheels.



PEATV006 7x4

7x4 Trailer complete with lift off canopy, aluminium tread plate floor, drop sides, standard internal lamb division, ramp tail door, with built in internal door.

Ideal all round trailer for livestock movements and able to carry ATV bikes when canopy removed. Drop sides allow trailer to be used for various duties around the farm and garden.

- Standard Internal Lamb Division



Road Legal Mobile Sheep dipper - 2100ltr tank

- 2100 litre (470 gallons approx.) Dipping Tank
- Wheel size – 6.50/R16
- Ladder Access point
- Decoy head yoke
- Sloping floor into the dip tank
- Large dripping pen area
- Hydraulic mechanism to place in to the operating position
- Easy set up
- Full width exit ramp for quick exit
- Improved entry ramp
- Optional walkway ramp to assist loading (next to the entry ramp)
- This dipper is tested for road use by DVSA





S204 - Single axle Tractor drawn Sheep Dipper

- 12.5/80 x 15.3 wheels
- 2100 Litre (470 Gallons approx.) Dipping Tank
- Aluminium ladder access point
- Decoy Head Yoke
- Sloping floor into the dip tank
- Large dripping pen area
- Hydraulic mechanism to place in the operating position
- Simple set up ramps and gates
- Full width exit ramp for a quick exit
- Improved entry ramp
- Optional walkway ramp to assist loading (next to the entry ramp)





S204/AG - Twin axle Tractor drawn Sheep Dipper

- 32' x 8'
- Twin 8 Stud axle
- 385/65 x 22.5 Wheels
- 3200 Litre (700 Gallons approx.) Dipping Tank
- Aluminium ladder access point
- Decoy Head Yoke
- Sloping floor into the dip tank
- Two large dripping pen areas
- Hydraulic mechanism to lower legs into the operating position
- Simple set up ramps and gates
- Full width exit ramp for a quick exit
- Improved entry ramp
- Walkway ramp to assist loading (next to the entry ramp)

FLAT BALE TRAILER WITH BALE SAFE SYSTEM

Contact us for up to date prices



*Look out for
our new 3 high
round bale system,
coming soon.*



STANDARD BALE TRAILER RANGE

Contact us for up to date prices

Standard Fitted Equipment

12.5/80x15.3 wheels.
70 mm 6 stud axles.
300 x 60 Brakes.
Brake ram fitted to all wheels.
4mm tread plate floor.
Removable adjustable head board.
Front and rear adjustable bale rails.
LED lights, LED beacon fitted as standard.
Commercial type ratchet hand brake.
Vertical rope hooks.
Strap Box.
Various wheel options P.O.A.

Single and Twin axle trailers available for 14' to 28' on the PT010 and PT011 range.

Call for more details



Standard fitted
LED lights
Side lights
Beacon

AVAILABLE WHEELS SIZES

12.5/80 X 15.3
(STANDARD),
400/60 X 15.5



Standard Fitted Equipment

80 mm 8 stud sprung.
385/65x22.5 Super single wheels.
350 x 90 brakes.
Brake ram on each wheel.
Fixed head board.
Front and rear bale rails.
Rear bale rail adjustable.
Heavy duty chequer plate floor.
Led lights.
Led beacon.
Strap box.
Twin axle.

PT012/25HD - 25x8	13 Tonne
PT012/26HD - 26x8	13 Tonne
PT012/28HD - 28x8	16 Tonne
PT012/30HD - 30x8	16 Tonne
PT012/32HD - 32x8	16 Tonne

AVAILABLE WHEELS SIZES

385/65 X 22.5 ((SUPER SINGLE) STANDARD),
435/55 X 19.5, 500/50 X 17.5,
560/45 X 22.5



Single and Twin Axle Cattle Containers

Standard sizes

18' single axle, 24' twin axle, 28' twin axle

Internal Cattle Division with Safety Slam Latch
Full Width entry door
Sprung Drawbar as standard
Aluminium loading gates
Sprung Folding Ramp/door
Fully Commercial Hand Brake
Hydraulic Brakes
385/55 x 19.5 Wheels
80mm Axle 8 Stud
Full LED Lights



Nurse Tank

Lifting and lowering body for transport and work modes.
10 stud axle
385/65 x 22.5 wheels
Hydraulic brakes
2 x inlet points
2 x outlet points
Hinged door on side to complete cleaning. (Bolted closed)
Rear ladder for access to top of tank.
LED lights
LED beacon
Number plate holder.

Available tank sizes
40 m3, 50m3, 60m3



Bale Grab

A compact bale grab that can lift
2 to 3 bales safely.



Bale Trailer with Side Walkway



CF051/20 9000kg Approx, Bulk Feeder

6 Metre long by 2.5 Metre wide, 80 mm 8 stud wheels, sprung draw bar, twin rocker axles on 340/65 R18 Wheels. Mobile bulk feeder for the larger fattening units with the capacity to feed large numbers at one time. Fitted with rain canopy to keep feed dry, trough lowered to accommodate smaller animals as well as large. Fully hydraulic opening lid, as shown, to allow easy and quick filling of hopper. Storage for removable hydraulic and light fittings to avoid animals destroying them.



Wheels

Trailers on 6 stud axle are fitted with 12.5/80 x 15.3 wheels as Standard. They can be exchanged for 400/60 x 15.5 wheels if required.

Trailers on 8 stud or 10 stud axles are fitted with 385/65 x 22.5 as standard. These can be exchanged for the following wheel options:

500/50 x 17.5 (8 stud only)
435/45 x 19.5 (8 and 10 stud)
560/45 x 22.5 (8 and 10 stud)

If you require another wheel/trailer combination then please ask.

ACCESSORIES - LIGHTING

Contact us for up to date prices



All lights fitted to our trailers are LED variants. With a new Cluster to the rear and a more durable loom we have perfected the lighting system on our trailers. Our trailers are also fitted with a LED beacon and illuminated number plater holder as standard.



Portequip has been providing farmers with practical equipment since 1978. If you need reliable, sturdy equipment, we at Portequip have the product for you.

Portequip products are designed by farmers for farmers and our ever-improving designs will accommodate the changes that farmers require.

With an ever increasing network of distributors throughout Great Britain all of which can be found on our website:

www.portequip.co.uk

or by contacting Portequip direct.

OUR EVER-INCREASING RANGE OF PRODUCTS INCLUDES:

- Calf Feed Equipment
- Bull Beef Hoppers
- Cattle Feed Trailers
- Combination Bulk Feeder
- Cattle Feed Equipment (Fixed)
- Cattle Troughs
- Cattle Feed Equipment (Portable)
- Cattle Containers
- Cattle Crushes (Mobile)
- Sheep Lamb Creep Feeders
- Sheep Hogg Feeders
- Sheep Feed Trailers
- Sheep Mobile Dipper
- ATV Trailers
- Agricultural Flat Trailers
- Varied Bespoke Equipment

The information given in this leaflet is true to the best of our knowledge and given in good faith. Users however must establish for themselves that the material is suitable for their specific purpose.

The manufacturers policy is one of continuous improvement and development. We reserve the right to change specification without notice and at any time.

THE TITLE TO GOODS SHALL NOT PASS TO YOU UNTIL PAYMENT HAS BEEN MADE OF THE FULL CONTRACT PRICE AND IN CASE OF NON-PAYMENT WE SHALL BE ENTITLED TO REPOSSESS OR TRACE GOODS OR THE PROCEEDS OF SALE IN YOUR HANDS OR IN THE HANDS OF ANY LIQUIDATOR OR RECEIVER.



* note all prices quoted are exclusive of vat unless otherwise stated.

NOTES



**Portequip Ltd, Penninghame,
Girvan Road, Newton Stewart. DG8 6RD**

T +44 (0) 1671 402775 • F +44 (0) 1671 403791
M 07712 595362 / 07775 000483
E sales@portequip.co.uk



portequip
Follow us on Instagram



portequip
Follow us on Facebook